

Physician Report



Average Score <h1>94</h1>	≥ 75 Normal cognitive function 51-74 Low cognitive impairment ≤ 50 Moderate-severe cognitive impairment Clinical contextualization required.	Name: TEST SAMPLE Date of birth: 01/01/1960 Test date: 02/22/2022
	Interpretation: Signature:	

Visuospatial

Patient's Average Score: 96


Normative Range: 75 - 95



Executive Function/Attention

Patient's Average Score: 93

Normative Range: 79 - 95



Naming/Language

Patient's Average Score: 99


Normative Range: 81 - 97



Memory

Patient's Average Score: 96

Normative Range: 83 - 99



Delayed Recall

Patient's Average Score: 100


Normative Range: 81 - 99



Abstraction

Patient's Average Score: 99

Normative Range: 74 - 97



Reaction Time and Speed Processing

Name: **TEST SAMPLE**

Date of birth: **01/01/1960**

Test date: **02/22/2022**

Interpretation:

Signature:

Clinical Contextualization required.



Patient's Average Visual & Motor Reaction Time

745ms

Normative Range

380ms - 2,210ms

Clinical Contextualization required.



Patient's Average Speed Processing Time

1,435ms

Normative Range

1,390ms - 2,210ms

Clinical Contextualization required.



≥ 75 Normal Cognitive Function

Encourage patient to maintain healthy lifestyle

- Re-test next year
-

51-74 Low Cognitive Impairment

Start dialogue with the patient

Not limited to, but some common causes/underlying conditions to check for:

- Unhealthy lifestyle
Poor diet, sedentarism, substance abuse (alcohol & others), stress & unbalanced work-life style
- Cardiovascular & metabolic conditions
Diabetes, vitamin deficiencies, dyslipidemia hepatic/renal issues
- Sleep disorders
Sleep apnea, RLS
- Neurological focal & chronic issues
Chronic pain, depression, epilepsy, TBI, post-stroke
- Hormonal changes
Thyroid, menopause
- Post-surgery, post-chemo

Consider referring to a specialist/counselor for further evaluation and management

≤ 50 Moderate-Severe Cognitive Impairment

Optimal management matters

- Available treatment/clinical trials
- Other therapies
- Planning

Consider referring to a specialist/counselor for further evaluation and management